


# Medication Use Instruction Sheet

## Instructions and Precautions for Use of Ear Drops

### ■ Instructions for use

1. Please clean both hands thoroughly with soap and water.
2. Request assistant if possible (to avoid contact of dropper tip with ear wall and being contaminated during self-administration).
3. If the ear drop is a suspension, please shake the suspension until homogeneous.
4. Lie on your side or tilt your head sideways, have the affected ear facing up.
5. To allow medication to flow in, for adult pull the ear upward and backward, for child pull the ear downward and backward. (To straighten ear canal)
6. Based on physician's order, drop the medication into the external ear canal, not deep into the ear canal.
7. Keep your ear (head) tilted for 2 minutes for the medication to flow in, or gently insert a soft cotton plug into the ear.
8. Clean the container opening with clean tissue paper.



### ■ Precautions

1. Always try to avoid water to flow into the ear.
2. Do not rinse the dropper tube or tip with water. Use clean dry tissue paper to wipe and clean the dropper tube or tip.
3. If there is progression or worsening of the disease condition, itchy or burning sensation of the ear canal after medication administration, immediately contact your physician.
4. No need to refrigerate medication, unless specially instructed.
5. Do not use medication with color change.
6. Close container cover tightly.
7. Store medication at cool and shady area.

- Telephone : (02) 2737-2181 # 8130
- Producer / Date : Department of Pharmacy / 105.12.27
- PFS-7200-9010

This sheet does not content complete drug information, if there is any enquiry, please contact your doctor or pharmacist.



以病家為尊、以同仁為重、以北醫為榮