


Medication Use Instruction Sheet

Instructions for Use of Eye Ointment

■ Instructions for use

1. Clean both hands.
2. Remove contact lenses before applying medicated eye ointment.
3. Gently press or pull down the lower eye lid of the eye directed by the physician for medication use to expose an opening.
4. Tilt your head backward, look up, squeeze out 0.5-1 cm length of eye ointment into the lower eye lid, try your best not to allow your finger, face or eye to come in contact with ointment tube opening.
5. Let go your lower eye lid, close eye, rotate eye ball in every direction, eye vision will be blurred.
6. Wipe away excess ointment outside the eye with tissue paper, wipe away excess ointment on the tube cap with tissue paper, cap on and tighten tube cap.



Dropper not in contact with finger, face, or eyes.

Gently pull down lower eye lid

This sheet does not content complete drug information, if there is any enquiry, please contact your doctor or pharmacist.



以病家為尊、以同仁為重、以北醫為榮

■ Precautions

1. Do not allow tube or container opening to come in contact with any object.
2. Do not flush the tube or container opening with water.
3. Eye drops suspension should be shaken to homogenous before use.
4. Normally an eye could accommodate one drop of solution, if a few types of medicated eye drops are to be use concomitantly, have 5-10 minutes interval between each eye drop use to allow adequate absorption of medication, then followed by the second type of medication.
5. If eye drops and eye ointment were to be use at the same time, please use eye drops first, then use eye ointment 5 minutes afterward.
6. Do not use eye drops with crystal formation or color change.
7. Do not use left-over of used steroid eye drops (fungal grow easily).
8. Do not share an eye ointment with other individual.
9. Do not allow direct sunlight exposure.
10. Some eye ointments may cause blurred vision, do not drive or operate dangerous machine before having clear vision.
11. If the disease condition worsens or if there is itchy or burning sensation lasting for a few minutes after using eye ointment, seek treatment immediately.
12. Unless instructed by pharmacist or physician, do not store eye ointment in refrigerator.
13. Discard eye ointment one month after opening.

- Telephone : (02) 2737-2181 # 8130
- Producer / Date : Department of Pharmacy / 105.12.27
- PFS-7200-9015

This sheet does not content complete drug information, if there is any enquiry, please contact your doctor or pharmacist.

