Medication Use Instruction Sheet Relvar Ellipta® Inhaler

■ Medication Name

Fluticasone furoate 92 mcg \ Vilanterol 22 mcg

■ Indication and Mechanism

Can relieve wheezing, coughing, and shortness of breath by opening up the airways. Used to control Chronic Obstructive Pulmonary Disease (COPD) and Asthma

■ Directions



- Only open the cover once you are ready to 1. take a dose. If you open and close the cover without inhaling the medicine, the dose will be lost.
- 2. Slide the cover down until you hear a 'click'.



- 3. While holding the inhaler away from your mouth, breathe out as far as is comfortable
- 4. Put the mouthpiece between your lips, and close your lips firmly around it.
- 5. Take one long, steady, deep breath in and hold this breath for at least 5 seconds.
- 6. Remove the inhaler from your mouth and breathe out slowly and gently.



- Slide the cover upwards as far as it will go 7. to cover the mouthpiece.
- 8. Please use the clear water gargling 2 times to reduce the risk of thrush, as this will reduce the chance of getting a sore mouth or throat.

Handout is for reference only. Please refer to your doctor for specific instructions.



■ Be careful of...

- You may not feel or taste the medicine, even if you have taken your medicine correctly.
- Do not shake the device, block the air vents with your fingers, or breathe out into the device.
- The dose counter will count down by one unit at a time. Remember to collect your new device before you run out of doses.
- If the dose counter does not count down as you hear the 'click', the device will not deliver the required dose. If this happens, please take your device back to the pharmacy.

■ How to check out the rest doses of device?

The dose counter will count down by one unit at a time. While the counter come to red zone. The medicine must to replace. Remember to collect your new device before you run out of doses.

■ What if I miss a dose?

Immediately take a dose within the same day. Do not use more than once a day.

■ Cleaning Instructions

Clean the inhaler once a week. Wipe the mouthpiece with a clean alcohol pad or dry tissue.

Referance:

- 1. Micromedex
- 2. Manufacturer's label

Contact Number: (02)2737-2181 EXT. 8130, 8132

Department/Date: Pharmacy/107.02, 111.10 修

PFS-7200-9027 EN

Handout is for reference only. Please refer to your doctor for specific instructions.

