

抗癌藥物治療指引

泌尿道癌

討論日期

團隊修訂：2019/12/12

核備日期：2020/3/31

《攝護腺癌抗癌藥物治療指引》

Men with High-Volume, ADT-naïve, Metastatic Disease

Docetaxel without Prednisolone with ADT

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Docetaxel	75	1	Q3W	6	1

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Docetaxel	30	1	QW		3

Men with Symptomatic mCRPC

First-line Therapy

Docetaxel ± prednisolone

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Docetaxel	75	1	Q3W	6	1
± Prednisolone	5 mg PO BID				

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Docetaxel	30	1	QW		3
± Prednisolone	5 mg PO BID				

Alternative chemotherapy

Mitoxantrone + Prednisolone

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Mitoxantrone	12	1	Q3W	10	2
Prednisolone	5 mg PO BID				

Cabazitaxel + Prednisolone

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Cabazitaxel	20-25	1	Q3W	10	4, 5
Prednisolone	10 mg PO QD				

Pembrolizumab

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Pembrolizumab	200 mg	1	Q3W		6

參考文獻

1. Jae Ho Jeong , Hyejung Hyun , In Gab Jeong, et al. Randomized phase II trial of docetaxel plus prednisolone with or without androgen deprivation treatment in castration-resistant prostate cancer. *Journal of Clinical Oncology* 2016; 34(2): 217-217.
2. Tannock IF, de Wit R, Berry WR, et al. Docetaxel plus prednisone or mitoxantrone plus prednisone for advanced prostate cancer. *N Engl J Med* 2004;351:1502-1512.
3. Kojima T, Shimazui T, Onozawa M. et al. Weekly Administration of Docetaxel in Patients with Hormone refractory Prostate Cancer: a Pilot Study on Japanese Patients. *Jpn J Clin Oncol.* 2004; 34(3): 137-41.
4. de Bono JS, Oudard S, Ozguroglu M, et al. Prednisone plus cabazitaxel or mitoxantrone for metastatic castration-resistant prostate cancer progressing after docetaxel treatment: a randomised open-label trial. *Lancet* 2010;376:1147-1154.
5. Eisenberger M, Hardy-Bessard AC1, Kim CS, et al. Phase III Study Comparing a Reduced Dose of Cabazitaxel (20 mg/m^2) and the Currently Approved Dose (25 mg/m^2) in Postdocetaxel Patients With Metastatic Castration-Resistant Prostate Cancer-PROSELICA. *J Clin Oncol.* 2017;35(28):3198-3206.
6. De Bono JS, Goh JC, et al. KEYNOTE-199: Pembrolizumab (pembro) for docetaxel-refractory metastatic castration-resistant prostate cancer (mCRPC). *Journal of Clinical Oncology* 2018; 36(15): 5007-5007.

《膀胱癌抗癌藥物治療指引》

Perioperative Chemotherapy of Bladder Cancer

Adjuvant Therapy

Gemcitabine + Cisplatin

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Gemcitabine	1000	1, 8	Q3W	4	1
Cisplatin	70	1	Q3W	4	

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Gemcitabine	1000	1, 8	Q3W	4	1
Cisplatin	35	1, 8	Q3W	4	

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Gemcitabine	1000	1, 8, 15	Q4W	Max 6	2
Cisplatin	70	1	Q4W	Max 6	

CMV

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Methotrexate	30	1, 8	Q3W	12	3
Vinblastine	4	1, 8	Q3W	12	
Cisplatin	100	2	Q3W	12	
Folinic acid	15 mg Q6H	2, 9	Q3W	12	

Adjuvant Intravesical Treatment

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
BCG	81 mg	1	QW	6	4

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Mitomycin	30-40 mg	1	QW	6	5-7

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Doxorubicin	40 mg	1	QW	6	8

Intravesical MDP regimen

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Mitomycin	30 mg	1	Q3W	2	8
Doxorubicin	30 mg	8	Q3W	2	
Cisplatin	30 mg	15	Q3W	2	

Neoadjuvant Therapy

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Gemcitabine	1000	1, 8	Q3W	4	1, 2
Cisplatin	70	1	Q3W	4	

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Gemcitabine	1000	1, 8	Q3W	4	1
Cisplatin	35	1, 8	Q3W	4	

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Gemcitabine	1000	1, 8, 15	Q4W	Max 6	2
Cisplatin	70	1	Q4W	Max 6	

CMV

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Methotrexate	30	1, 8	Q3W	12	3
Vinblastine	4	1, 8	Q3W	12	
Cisplatin	100	2	Q3W	12	
Folinic acid	15 mg Q6H	2, 9	Q3W	12	

Chemotherapy for Metastatic Disease

1st Line Therapy

Gemcitabine + Cisplatin

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Gemcitabine	1000	1, 8, 15	Q4W	6	2, 9
Cisplatin	70	2	Q4W		

Gemcitabine + Carboplatin

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Gemcitabine	1000	1, 8	Q3W	4	16
Carboplatin	AUC 4.5	1	Q3W		

DDMVAC

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Methotrexate	30	1	Q2W	6	10, 11
Vinblastine	3	2	Q2W	6	
Doxorubicin	30	2	Q2W	6	
Cisplatin	70	2	Q2W	6	

PD-1 inhibitor (cisplatin ineligible)

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Atezolizumab	1200 mg	1	Q3W		12

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Pembrolizumab	200 mg	1	Q3W		13

Radiosensitizing Chemotherapy Regimens for Bladder-Preserving Chemoradiation following A Maximal TURBT 1st Line Therapy

Cisplatin + 5 FU

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Cisplatin	15	1-3	QW	3	15
5-FU	400	1-3	QW	3	

Mitomycin + 5 FU

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Mitomycin	12	1			14
5-FU	500	1-5, 16-20			

Cisplatin + Paclitaxel

藥品名	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Cisplatin	15	1-3	QW	3	15
Paclitaxel	50	1	QW	3	

PFL

藥品名*	劑量 mg/m ²	給藥日	頻率	週期	參考文獻
Cisplatin	50	1	Q3W	Min 3	17
Leucovorin	50	1-3	Q3W	Min 3	
5-FU	500	1-3	Q3W	Min 3	

*三院有個別版本

參考文獻

1. Dash A, Pettus JA, Herr HW, et al. A role for neoadjuvant gemcitabine plus cisplatin in muscle-invasive urothelial carcinoma of the bladder: a retrospective experience. *Cancer* 2008;113:2471-2477.
2. Von der Maase H, Hansen SW, Roberts JT, et al. Gemcitabine and cisplatin versus methotrexate, vinblastine, doxorubicin, and cisplatin in advanced or metastatic bladder cancer: results of a large, randomized, multinational, multicenter, phase III study. *J Clin Oncol* 2000;18:3068-3077.
3. Griffiths G, Hall R, Sylvester R, et al. International phase III trial assessing neoadjuvant cisplatin, methotrexate, and vinblastine chemotherapy for muscle-invasive bladder cancer: long-term results of the BA06 30894 trial. *J Clin Oncol* 2011;29:2171-2177.
4. Lamm DL1, Blumenstein BA, Crissman JD, et al. Maintenance bacillus Calmette-Guerin immunotherapy for recurrent TA, T1 and carcinoma in situ transitional cell carcinoma of the bladder: a randomized Southwest Oncology Group Study. *J Urol.* 2000; 163: 1124-9
5. Lundholm C1, Norlén BJ, Ekman P, et al. A randomized prospective study comparing long-term intravesical instillations of mitomycin C and bacillus Calmette-Guerin in patients with superficial bladder carcinoma. *J Urol.* 1996; 156: 372-6
6. Solsona E, Iborra I, Ricos JV, et al: Effectiveness of a single immediate mitomycin C instillation in patients with low risk superficial bladder cancer: short and long-term followup. *J Urol* 1999; 161:1120-1123.
7. Witjes JA1, v d Meijden AP, Collette L, et al. Long-term follow-up of an EORTC randomized prospective trial comparing intravesical bacille Calmette-Guérin-RIVM and mitomycin C in superficial bladder cancer. EORTC GU Group and the Dutch South East Cooperative Urological Group. European Organisation for Research and Treatment of Cancer Genito-Urinary Tract Cancer Collaborative Group. *Urology*. 1998 ; 52: 403-10
8. Chung-Hsin Chen, Hung-Ju Yang, Chia-Tung Shun, et al. A cocktail regimen of intravesical mitomycin-C, doxorubicin, and cisplatin (MDP) for non-muscle-invasive bladder cancer.
9. Von der Maase H, Sengelov L, Roberts JT, et al. Long-term survival results of a randomized trial comparing gemcitabine plus cisplatin, with methotrexate, vinblastine, doxorubicin, plus cisplatin in patients with bladder cancer. *J Clin Oncol* 2005;23:4602-4608.
10. Sternberg CN, de Mulder PH, Schornagel JH, et al. Randomized phase III trial of high-dose-intensity methotrexate, vinblastine, doxorubicin, and cisplatin (MVAC) chemotherapy and recombinant human granulocyte colony-stimulating factor versus classic MVAC in advanced urothelial tract tumors: European Organization for Research and Treatment of Cancer Protocol no. 30924. *J Clin Oncol* 2001;19:2638-2646.
11. Sternberg CN, de Mulder P, Schornagel JH, et al. Seven year update of an EORTC phase III trial of high-dose intensity M-VAC chemotherapy and G-CSF versus classic M-VAC in advanced urothelial tract tumours. *Eur J Cancer* 2006;42:50-54.
12. Balar AV, Galsky MD, Rosenberg JE, et al. Atezolizumab as first-line treatment in cisplatin-ineligible patients with locally advanced and metastatic urothelial carcinoma: a single-arm, multicentre, phase 2

- trial. Lancet 2017;389:67-76.
13. Balar AV, Castellano DE, O'Donnell PH, et al. Pembrolizumab as first-line therapy in cisplatin-ineligible advanced urothelial cancer: Results from the total KEYNOTE-052 study population. Clin Oncol 2017;35:S:Abstract 284.
 14. James ND, Hussain SA, Hall E, et al; BC2001 Investigators. Radiotherapy with or without chemotherapy in muscle-invasive bladder cancer. N Engl J Med 2012;366:1477-1488
 15. Mitin T, Hunt D, Shipley W, et al. Transurethral surgery and twice-daily radiation plus paclitaxel-cisplatin or fluorouracil-cisplatin with selective bladder preservation and adjuvant chemotherapy for patients with muscle invasive bladder cancer (RTOG 0233): a randomized multicentre phase 2 trial. Lancet Oncol 2013;14:863-872.
 16. Pritchard ER, Waddell JA, et al. Gemcitabine and Carboplatin (Renally Dosed) Regimen for Bladder Cancer. Hosp Pharm. 2015; 50(2): 103–107.
 17. Chen WC, Liaw CC. Concurrent cisplatin, 5-fluorouracil, leucovorin, and radiotherapy for invasive bladder cancer. Int. J. Radiation Oncology Biol. Phys 2003; 56(3): 726–733.