

# 抗癌藥物治療指引

## 食道癌

### 討論日期

團隊修訂：2019/12/24

核備日期：2020/3/31

## 《食道癌抗癌藥物治療指引》

## Preoperative Chemoradiation Therapy of Esophageal Cancer

## Preferred Regimens

## Paclitaxel + Carboplatin

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Paclitaxel	50	1	QW	5	1
Carboplatin	AUC 2	1	QW	5	

## Cisplatin + Fluoropyrimidine

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Cisplatin	75	1	Q4W	2(RT) + 2	2
5-FU	1000*	1-4	Q4W	2(RT) + 2	

\* Continuous infusion for 24 hours

藥品名*	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Cisplatin	15	1-5	Q3W	2	5
5-FU	800	1-5	Q3W	2	

\* Continuous infusion for 24 hours

藥品名*	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Cisplatin	30	1	QW	5	22
Capecitabine	800 PO BID	1-5	QW	5	

## Oxaliplatin + Fluoropyrimidine

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Oxaliplatin	85	1	Q2W	3(RT) + 3	5
Leucovorin	400	1	Q2W	3(RT) + 3	
5-FU	400	1	Q2W	3(RT) + 3	
5-FU	800*	1-2	Q2W	3(RT) + 3	

\* Continuous infusion for 24 hours

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Oxaliplatin	85	1, 15, 29		For 3 doses	21
Capecitabine	625 PO BID	1-5	QW	5	

## Other Regimens

## Cisplatin + 5 FU

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Cisplatin	100	1, 29	Q35D	1	4
5-FU	1000	1-4, 29-32	Q35D	1	

### Irinotecan + Cisplatin

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Irinotecan	65	1, 8, 22, 29		1	6
Cisplatin	30	1, 8, 22, 29		1	

### Paclitaxel + 5 FU

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Paclitaxel	45	1	QW	5	7
5-FU	300*	1-5	QW	5	

\* Continuous infusion for 24 hours

## Perioperative Chemotherapy (Include EGJ)

### Preferred Regimens

#### Oxaliplatin + Fluoropyrimidine

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Oxaliplatin	85	1	Q2W	6 <sup>#</sup>	18
Leucovorin	400	1	Q2W	6 <sup>#</sup>	
5-FU	400	1	Q2W	6 <sup>#</sup>	
5-FU	1200*	1-2	Q2W	6 <sup>#</sup>	

\* Continuous infusion for 24 hours #3 (pre-op) + 3 (post-op)

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Oxaliplatin	85	1	Q2W	6 <sup>#</sup>	17
Leucovorin	200	1	Q2W	6 <sup>#</sup>	
5-FU	2600*	1	Q2W	6 <sup>#</sup>	

\* Continuous infusion for 24 hours #3 (pre-op) + 3 (post-op)

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Oxaliplatin	130	1	Q3W	6 <sup>#</sup>	19
Capecitabine	1000 PO BID	1-14	Q3W	6 <sup>#</sup>	

#3 (pre-op) + 3 (post-op)

#### FLOT (5 FU + Leucovorin + Oxaliplatin + Docetaxel)

藥品名*	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Docetaxel	50	1	Q2W	8 <sup>#</sup>	8
Oxaliplatin	85	1	Q2W	8 <sup>#</sup>	
Leucovorin	200	1	Q2W	8 <sup>#</sup>	
5-FU	2600*	1	Q2W	8 <sup>#</sup>	

\* Continuous infusion for 24 hours #4 (pre-op) + 4 (post-op)

### Other Regimens

#### Cisplatin + 5 FU

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Cisplatin	100	1	Q4W	6 <sup>#</sup>	9
5-FU	800*	1-5	Q4W	6 <sup>#</sup>	

\* Continuous infusion for 24 hours #2-3 (pre-op) + 3-4 (post-op)

## Preoperative Chemotherapy

(Only for adenocarcinoma of the thoracic esophagus or EGJ)

### Cisplatin + 5 FU

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Cisplatin	80	1	Q3W	2 <sup>#</sup>	10
5-FU	1000*	1-4	Q3W	2 <sup>#</sup>	

\* Continuous infusion for 24 hours #2(pre-op)

## Definitive Chemoradiation (Non-Surgical)

### Preferred Regimens

#### Cisplatin + Fluoropyrimidine

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Cisplatin	75	1	Q4W	2~4 <sup>#</sup>	11
5-FU	1000*	1-4	Q4W	2~4 <sup>#</sup>	

\* Continuous infusion for 24 hours #2 (RT) + 2

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Cisplatin	30	1	QW	5	20
Capecitabine	800 PO BID	1-5	QW	5	

#### Oxaliplatin + Fluoropyrimidine

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Oxaliplatin	85	1	Q2W	6 <sup>#</sup>	5
Leucovorin	400	1	Q2W	6 <sup>#</sup>	
5-FU	400	1	Q2W	6 <sup>#</sup>	
5-FU	800*	1-2	Q2W	6 <sup>#</sup>	

\* Continuous infusion for 24 hours #3 (RT) + 3 (post-RT)

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Oxaliplatin	85	1, 15, 29		For 3 doses	21
Capecitabine	625 PO BID	1-5	QW	5	

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Oxaliplatin	85	1, 15, 29			3
5-FU	180	1-33			

#### Paclitaxel + Carboplatin

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Paclitaxel	50	1	QW	5	1
Carboplatin	AUC 2	1	QW	5	

## Other Regimens

### Taxane + Cisplatin

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Paclitaxel	60	1, 8, 15, 22		1	12
Cisplatin	75	1		1	

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Docetaxel	60	1, 22		1	13
Cisplatin	80	1, 22		1	

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Docetaxel	30	1	QW	5	14
Cisplatin	30	1	QW	5	

### Irinotecan + Cisplatin

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Irinotecan	65	1, 8, 22, 29		1	6
Cisplatin	30	1, 8, 22, 29		1	

### Paclitaxel + 5 FU

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Paclitaxel	45-50	1	QW	5	7
5-FU	300*	1-5	QW	5	

\* Continuous infusion for 24 hours

## Postoperative Chemoradiation (Including EGJ)

### 5 FU (bolus) + Leucovorin

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Lecucovorin	20	1-5	Q4W	1 <sup>st</sup> , 3 <sup>rd</sup> , 4 <sup>th</sup> #	15, 23
5-FU	425	1-5	Q4W	1 <sup>st</sup> , 3 <sup>rd</sup> , 4 <sup>th</sup> #	
Lecucovorin	20	1-4, 31-33	Q5W	2 <sup>nd</sup> (with RT)	
5-FU	400	1-4, 31-33	Q5W	2 <sup>nd</sup> (with RT)	

#Cycle 1<sup>st</sup> (pre-RT), and cycle 3<sup>rd</sup>, 4<sup>th</sup> (posr-RT)

### 5 FU + Leucovorin modifications

#### 1 cycle before + 2 cycle after chemoradiation

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Capecitabine	1000 PO BID	1-14	Q4W	1 + 2	24

#### With radiation

藥品名*	劑量 mg/m <sup>2</sup>	給藥日*	頻率	週期	參考文獻
5-FU	200*	1-5 or 1-7	QW	5 with RT	25

\* Continuous infusion for 24 hours

藥品名*	劑量 mg/m <sup>2</sup>	給藥日*	頻率	週期	參考文獻
Capecitabine	825 PO BID	1-5 or 1-7	QW	5 with RT	26

## Postoperative Chemotherapy

### Oxaliplatin + Capecitabine

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Oxaliplatin	130	1	Q3W		16
Capecitabine	1000 PO BID	1-14	Q3W		

\*三院有個別版本

### 參考文獻

1. Van Hagen P, Hulshof MC, van Lanschot, J.J, et al. Preoperative Chemoradiotherapy for Esophageal or Junctional Cancer. N Engl J Med 2012;366:2074-2084.
2. Conroy T, Galais MP, Raoul JL, et al. Definitive chemoradiotherapy with FOLFOX versus fluorouracil and cisplatin in patients with oesophageal cancer (PRODIGE5/ ACCORD17): final results of a randomised, phase 2/3 trial. Lancet Oncol 2014;15:305-314.
3. Khushalani NI, Leichman CG, Proulx G, et al. Oxaliplatin in combination with protracted-infusion fluorouracil and radiation: report of a clinical trial for patients with esophageal cancer. J Clin Oncol 2002;20:2844-2850.
4. Tepper J, Krasna MJ, Niedzwiecki D, et al. Phase III trial of trimodality therapy with cisplatin, fluorouracil, radiotherapy, and surgery compared with surgery alone for esophageal cancer: CALGB 9781. J Clin Oncol 2008;26:1086-1092.
5. Bedenne L, Michel P, Bouche O, et al. Chemoradiation followed by surgery compared with chemoradiation alone in squamous cancer of the esophagus: FFCD 9102. J Clin Oncol 2007; 25:1160-1168.
6. Sharma R, Yang GY, Nava HR, et al. A single institution experience with neoadjuvant chemoradiation (CRT) with irinotecan (I) and cisplatin (C) in locally advanced esophageal carcinoma (LAEC) [abstract]. J Clin Oncol 2009;27 (Suppl 15):Abstract e15619.
7. Ajani JA, Winter K, Okawara GS, et al. Phase II trial of preoperative chemoradiation in patients with localized gastric adenocarcinoma (RTOG 9904): quality of combined modality therapy and pathologic response. J Clin Oncol 2006;24:3953-3958.
8. Al-Batran SE, Hofheinz RD, Pauligk C, et al. Histopathological regression after neoadjuvant docetaxel, oxaliplatin, fluorouracil, and leucovorin versus epirubicin, cisplatin, and fluorouracil or capecitabine in patients with resectable gastric or gastro-oesophageal junction adenocarcinoma (FLOT4-AIO): results from the phase 2 part of a multicentre, open-label,

- randomised phase 2/3 trial. *Lancet Oncol* 2016;17:1697-1708.
9. Ychou M, Boige V, Pignon J-P, et al. Perioperative chemotherapy compared with surgery alone for resectable gastroesophageal adenocarcinoma: an FNCLCC and FFCD multicenter phase III trial. *J Clin Oncol* 2011;29:1715-1721.
  10. Alderson D, Langley RE, Nankivell MG, et al. Neoadjuvant chemotherapy for resectable oesophageal and junctional adenocarcinoma: Results from the UK Medical Research Council randomised OEO5 trial (ISRCTN 01852072) [abstract]. *J Clin Oncol* 2015;33 (15\_suppl):Abstract 4002.
  11. Minsky BD, Pajak TF, Ginsberg RJ, et al. INT 0123 (Radiation Therapy Oncology Group 94-05) phase III trial of combined-modality therapy for esophageal cancer: highdose versus standard-dose radiation therapy. *J Clin Oncol* 2002;20:1167-1174.
  12. Urba SG, Orringer MB, Iannettoni M, et al. Concurrent cisplatin, paclitaxel, and radiotherapy as preoperative treatment for patients with locoregional esophageal carcinoma. *Cancer* 2003;98:2177-2183.
  13. Li QQ, Liu MZ, Hu YH, et al. Definitive concomitant chemoradiotherapy with docetaxel and cisplatin in squamous esophageal carcinoma. *Dis Esophagus* 2010;23:253-259.
  14. Day FL, Leong T, Ngan S, et al. Phase I trial of docetaxel, cisplatin and concurrent radical radiotherapy in locally advanced oesophageal cancer. *Br J Cancer* 2011;104:265-271.
  15. Smalley SR, Benedetti JK, Haller DG, et al. Updated analysis of SWOG-directed intergroup study 0116: a phase III trial of adjuvant radiochemotherapy versus observation after curative gastric cancer resection. *J Clin Oncol* 2012;30:2327-2333
  16. Noh SH, Park SR, Yang HK, et al. Adjuvant capecitabine plus oxaliplatin for gastric cancer after D2 gastrectomy (CLASSIC): 5-year follow-up of an open-label, randomized phase 3 trial. *Lancet Oncol* 2014; 15:1389-1396.
  17. Al-Batran S-E, Hartmann JT, Probst S, et al. Phase III trial in metastatic gastroesophageal adenocarcinoma with fluorouracil, leucovorin plus either oxaliplatin or cisplatin: a study of the Arbeitsgemeinschaft Internistische Onkologie. *J Clin Oncol* 2008;26:1435-1442.
  18. Enzinger PC, Burtness B, Hollis D, et al. CALGB 80403/ECOG 1206: A randomized phase II study of three standard chemotherapy regimens (ECF, IC, FOLFOX) plus cetuximab in metastatic esophageal and GE junction cancer [abstract]. *J Clin Oncol* 2010;28 (Suppl 15):Abstract 4006.
  19. Kim GM, Jeung HC, Rha SY, et al. A randomized phase II trial of S-1-oxaliplatin versus capecitabine-oxaliplatin in advanced gastric cancer. *Eur J Cancer* 2012;48:518-526.
  20. Le DT, Durham JN, Smith KN, et al. Mismatch repair deficiency predicts response of solid tumors to PD-1 blockade. *Science* 2017;357:409-413.
  21. Javle MM, Yang G, Nwogu CE, et al. Capecitabine, oxaliplatin and radiotherapy: a phase IB neoadjuvant study for esophageal cancer with gene expression analysis. *Cancer Invest* 2009;27:193-200.
  22. Lee SS, Kim SB, Park SI, et al. Capecitabine and cisplatin chemotherapy (XP) alone or

- sequentially combined chemoradiotherapy containing XP regimen in patients with three different settings of stage IV esophageal cancer. *Jpn J Clin Oncol* 2007;37:829-835.
23. Macdonald JS, Smalley SR, Benedetti J, et al. Chemoradiotherapy after surgery compared with surgery alone for adenocarcinoma of the stomach or gastroesophageal junction. *N Engl J Med* 2001;345:725-730.
24. Jansen EP, Boot H, Saunders MP, et al. A phase I-II study of postoperative capecitabine-based chemoradiotherapy in gastric cancer. *Int J Radiat Oncol Biol Phys* 2007;69:1424-1428.
25. Leong T, Joon DL, Willis D, et al. Adjuvant chemoradiation for gastric cancer using epirubicin, cisplatin, and 5-fluorouracil before and after three-dimensional conformal radiotherapy with concurrent infusional 5-fluorouracil: a multicenter study of the trans-tasman radiation oncology group. *Int J Radiat Oncol Biol Phys* 2011;79:690-695.
26. Lee HS, Choi Y, Hur WJ, et al. Pilot study of postoperative adjuvant chemoradiation for advanced gastric cancer: adjuvant 5-FU/cisplatin and chemoradiation with capecitabine. *World J Gastroenterol* 2006;12:603-607.

# Systemic Therapy for Metastatic or Locally Advanced Cancer

(where local therapy is not indicated)

## 1<sup>ST</sup> Line Therapy

### Trastuzumab (with chemotherapy)

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Trastuzumab	8 → 6 mg/kg	1	Q3W		1

### Trastuzumab (with chemotherapy)

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Trastuzumab	6 → 4 mg/kg	1	Q2W		1

## Preferred Regimens

### Cisplatin + Fluoropyrimidine

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Cisplatin	100	1	Q4W		2
5-FU	1000*	1-4	Q4W		

\* Continuous infusion for 24 hours

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Cisplatin	50	1	Q2W		3, 4
Leucovorin	200	1	Q2W		
5-FU	2000*	1	Q2W		

\* Continuous infusion for 24 hours

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Cisplatin	80	1	Q3W		5
Capecitabine	1000 PO BID	1-4	Q3W		

### Oxaliplatin + Fluoropyrimidine

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Oxaliplatin	85	1	Q2W		6
Leucovorin	400	1	Q2W		
5-FU	400	1	Q2W		
5-FU	1200*	1-2	Q2W		

\* Continuous infusion for 24 hours

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Oxaliplatin	85	1	Q2W		3
Leucovorin	200	1	Q2W		
5-FU	2600*	1	Q2W		

\* Continuous infusion for 24 hours

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Oxaliplatin	130	1	Q3W		7
Capecitabine	1000 PO BID	1-14	Q3W		

## Other Regimens

### Paclitaxel + Cisplatin/Carboplatin

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Paclitaxel	200	1	Q3W		8
Cisplatin	75	2	Q3W		

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Paclitaxel	90	1	Q2W		9
Cisplatin	50	1	Q2W		

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Paclitaxel	200	1	Q3W		10
Carboplatin	AUC 5	1	Q3W		

### Docetaxel + Cisplatin

藥品名*	劑量 mg/m <sup>2</sup> *	給藥日	頻率	週期	參考文獻
Docetaxel	75-85	1	Q3W		11, 12
Cisplatin	70-75	1	Q3W		

### Fluoropyrimidine

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Leucovorin	400	1	Q2W		4
5-FU	400	1	Q2W		
5-FU	1200*	1-2	Q2W		

\* Continuous infusion for 24 hours

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
5-FU	800*	1-5	Q4W		13

\* Continuous infusion for 24 hours

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Capecitabine	1250 PO BID	1-14	Q3W		14

### Taxane

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Docetaxel	100	1	Q3W		15, 16

藥品名*	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Paclitaxel	80	1	QW		17

### Irinotecan + 5 FU (only for adenocarcinoma)

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Irinotecan	180	1	Q2W		18
Leucovorin	400	1	Q2W		
5-FU	400	1	Q2W		
5-FU	1200*	1-2	Q2W		

\* Continuous infusion for 24 hours

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Irinotecan	80	1	QW	6 + 2(off) <sup>#</sup>	25
Leucovorin	500	1	QW	6 + 2(off) <sup>#</sup>	
5-FU	2000*	1	QW	6 + 2(off) <sup>#</sup>	

\* Continuous infusion for 24 hours <sup>#</sup>6 weeks treatment, followed by 2 weeks off

### ECF

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Epirubicin	50	1	Q3W		22
Cisplatin	60	1	Q3W		
5-Fu	200*	1-21	Q3W		

\* Continuous infusion for 24 hours

### ECF modifications

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Epirubicin	50	1	Q3W		23, 24
Oxaliplatin	130	1	Q3W		
5-Fu	200*	1-21	Q3W		

\* Continuous infusion for 24 hours

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Epirubicin	50	1	Q3W		23, 24
Cisplatin	60	1	Q3W		
Capecitabine	625 PO BID	1-21	Q3W		

藥品名	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Epirubicin	50	1	Q3W		22
Oxaliplatin	130	1	Q3W		
Capecitabine	625 PO BID	1-21	Q3W		

### DCF modifications

藥品名*	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Docetaxel	40	1	Q2W		19
Leucovorin	400	1	Q2W		
5-FU	400	1	Q2W		
5-FU	1000*	1-2	Q2W		
Cisplatin	40	3	Q2W		

\* Continuous infusion for 24 hours

藥品名*	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Docetaxel	50	1	Q2W		20
Oxaliplatin	85	1	Q2W		
5-FU	1200*	1-2	Q2W		

\* Continuous infusion for 24 hours

藥品名*	劑量 mg/m <sup>2</sup>	給藥日	頻率	週期	參考文獻
Docetaxel	75	1	Q3W		21
Carboplatin	AUC 6	2	Q3W		
5-FU	1200*	1-2	Q3W		

\* Continuous infusion for 24 hours

\*三院有個別版本

## 參考文獻

1. Bang YJ, Van Cutsem E, Feyereislova A, et al. Trastuzumab in combination with chemotherapy versus chemotherapy alone for treatment of HER2-positive advanced gastric or gastro-oesophageal junction cancer (ToGA): a phase 3, open-label, randomised controlled trial. *Lancet* 2010;376:687-697.
2. Lorenzen S, Schuster T, Porschen R, et al. Cetuximab plus cisplatin-5-fluorouracil versus cisplatin-5-fluorouracil alone in first-line metastatic squamous cell carcinoma of the esophagus: a randomized phase II study of the Arbeitsgemeinschaft Internistische Onkologie. *Ann Oncol* 2009;20:1667-1673.
3. Al-Batran S-E, Hartmann JT, Probst S, et al. Phase III trial in metastatic gastroesophageal adenocarcinoma with fluorouracil, leucovorin plus either oxaliplatin or cisplatin: a study of the Arbeitsgemeinschaft Internistische Onkologie. *J Clin Oncol* 2008;26:1435-1442.
4. Bouche O, Raoul JL, Bonnetain F, et al. Randomized multicenter phase II trial of a biweekly regimen of fluorouracil and leucovorin (LV5FU2), LV5FU2 plus cisplatin, or LV5FU2 plus irinotecan in patients with previously untreated metastatic gastric cancer: a Federation Francophone de Cancerologie Digestive Group Study--FFCD 9803. *J Clin Oncol* 2004;22:4319-4328.
5. Kang YK, Kang WK, Shin DB, et al. Capecitabine/cisplatin versus 5-fluorouracil/cisplatin as first-line therapy in patients with advanced gastric cancer: a randomised phase III noninferiority trial. *Ann Oncol* 2009;20:666-673.
6. Enzinger PC, Burtness B, Hollis D, et al. CALGB 80403/ECOG 1206: A randomized phase II study of three standard chemotherapy regimens (ECF, IC, FOLFOX) plus cetuximab in metastatic esophageal and GE junction cancer [abstract]. *J Clin Oncol* 2010;28 (Suppl 15):Abstract 4006.

7. Kim GM, Jeung HC, Rha SY, et al. A randomized phase II trial of S-1-oxaliplatin versus capecitabine-oxaliplatin in advanced gastric cancer. *Eur J Cancer* 2012;48:518-526.
8. Ilson DH, Forastiere A, Arquette M, et al. A phase II trial of paclitaxel and cisplatin in patients with advanced carcinoma of the esophagus. *Cancer J* 2000;6:316-323.
9. Petrasch S, Welt A, Reinacher A, et al. Chemotherapy with cisplatin and paclitaxel in patients with locally advanced, recurrent or metastatic oesophageal cancer. *Br J Cancer* 1998;78:511-514.
10. Gadgeel SM, Shields AF, Heilbrun LK, et al. Phase II study of paclitaxel and carboplatin in patients with advanced gastric cancer. *Am J Clin Oncol* 2003;26:37-41.
11. Ajani JA, Fodor MB, Tjulandin SA, et al. Phase II multi-institutional randomized trial of docetaxel plus cisplatin with or without fluorouracil in patients with untreated, advanced gastric, or gastroesophageal adenocarcinoma. *J Clin Oncol* 2005;23:5660-5667.
12. Kim JY, Do YR, Park KU, et al. A multi-center phase II study of docetaxel plus cisplatin as first-line therapy in patients with metastatic squamous cell esophageal cancer. *Cancer Chemother Pharmacol* 2010;66:31-36.
13. Ohtsu A, Shimada Y, Shirao K, et al. Randomized phase III trial of fluorouracil alone versus fluorouracil plus cisplatin versus uracil and tegafur plus mitomycin in patients with unresectable, advanced gastric cancer: The Japan Clinical Oncology Group Study (JCOG9205). *J Clin Oncol* 2003;21:54-59.
14. Hong YS, Song SY, Lee SI, et al. A phase II trial of capecitabine in previously untreated patients with advanced and/or metastatic gastric cancer. *Ann Oncol* 2004;15:1344-1347.
15. Albertsson M, Johansson B, Friesland S, et al. Phase II studies on docetaxel alone every third week, or weekly in combination with gemcitabine in patients with primary locally advanced, metastatic, or recurrent esophageal cancer. *Med Oncol* 2007;24:407-412.
16. Ford HE, Marshall A, Bridgewater JA, et al. Docetaxel versus active symptom control for refractory oesophagogastric adenocarcinoma (COUGAR-02): an open-label, phase 3 randomised controlled trial. *Lancet Oncol* 2014;15:78-86.
17. Ilson DH, Wadleigh RG, Leichman LP, Kelsen DP. Paclitaxel given by a weekly 1-h infusion in advanced esophageal cancer. *Ann Oncol* 2007;18:898-902.
18. Guimbaud R, Louvet C, Ries P, et al. Prospective, randomized, multicenter, phase III study of fluorouracil, leucovorin, and irinotecan versus epirubicin, cisplatin, and capecitabine in advanced gastric adenocarcinoma: A French Intergroup (Fédération Francophone de Cancérologie Digestive, Fédération Nationale des Centres de Lutte Contre le Cancer, and Groupe Coopérateur Multidisciplinaire en oncologie) Study. *J Clin Oncol* 2014;32:3520-3526.
19. Shah MA, Janjigian YY, Stoller R, et al. Randomized multicenter phase II study of modified docetaxel, cisplatin, and fluorouracil (DCF) versus DCF plus growth factor support in patients with metastatic gastric adenocarcinoma: a study of the US Gastric Cancer Consortium. *J Clin Oncol* 2015;33:3874-3879.

20. Shankaran V, Mulcahy MF, Hochster HS, et al. Docetaxel, oxaliplatin, and 5-fluorouracil for the treatment of metastatic or unresectable gastric or gastroesophageal junction (GEJ) adenocarcinomas: Preliminary results of a phase II study. *Gastrointestinal Cancers Symposium 2009*:Abstract 47.
21. Elkerm YM, Elsaid A, AL-Batran S, Pauligk C. Final results of a phase II trial of docetaxel-carboplatin-FU in locally advanced gastric carcinoma [abstract]. Presented at the *Gastrointestinal Cancers Symposium 2008*. Abstract 38.
22. Ross P, Nicolson M, Cunningham D, et al. Prospective randomized trial comparing mitomycin, cisplatin, and protracted venous-infusion fluorouracil (PVI 5-FU) with epirubicin, cisplatin, and PVI 5-FU in advanced esophagogastric cancer. *J Clin Oncol* 2002;20:1996-2004.
23. Sumpter K, Harper-Wynne C, Cunningham D, et al. Report of two protocol planned interim analyses in a randomised multicentre phase III study comparing capecitabine with fluorouracil and oxaliplatin with cisplatin in patients with advanced oesophagogastric cancer receiving ECF. *Br J Cancer* 2005;92:1976-1983.
24. Cunningham D, Starling N, Rao S, et al. Capecitabine and oxaliplatin for advanced esophagogastric cancer. *N Engl J Med* 2008;358:36-46.
25. Wolff K, Wein A, Reulbach U, et al. Weekly high-dose 5-fluorouracil as a 24-h infusion and sodium folinic acid (AIO regimen) plus irinotecan in patients with locally advanced nonresectable and metastatic adenocarcinoma or squamous cell carcinoma of the oesophagus: a phase II trial. *Anticancer Drugs* 2009;20:165-173.